

Name : Mr. VIKAS YADAV
 Lab No. : 517733647
 Ref By : Self
 Collected : 30/5/2026 11:30:00AM
 A/c Status : P
 Collected at : FPSC MANESAR SECTOR-1
 IMT Manesar S.O GURGAON
 MANESAR

Age : 22 Years
 Gender : Male
 Reported : 30/5/2026 3:34:12PM
 Report Status : Final
 Processed at : LPL-GURGAON
 C1/B, Clear View Building Old DLF Colony,
 Sector-14 Gurgaon, Haryana-122001



Test Report

Test Name	Results	Units	Bio. Ref. Interval
COMPLETE BLOOD COUNT (CBC), WHOLE BLOOD (DC Detection, Flow Cytometry & SLS)			
Hemoglobin	14.90	g/dL	13.00 - 17.00
Packed Cell Volume (PCV)	45.70	%	40.00 - 50.00
RBC Count	5.15	mill/mm ³	4.50 - 5.50
MCV	88.70	fL	83.00 - 101.00
Mentzer Index	17.2		
MCH	28.90	pg	27.00 - 32.00
MCHC	32.60	g/dL	31.50 - 34.50
Red Cell Distribution Width (RDW)	13.00	%	11.60 - 14.00
Total Leukocyte Count (TLC)	6.51	thou/mm ³	4.00 - 10.00
Differential Leucocyte Count (DLC)			
Segmented Neutrophils	58.50	%	40.00 - 80.00
Lymphocytes	32.40	%	20.00 - 40.00
Monocytes	8.80	%	2.00 - 10.00
Eosinophils	0.00	%	1.00 - 6.00
Basophils	0.30	%	<2.00
Absolute Leucocyte Count			
Neutrophils	3.81	thou/mm ³	2.00 - 7.00
Lymphocytes	2.11	thou/mm ³	1.00 - 3.00
Monocytes	0.57	thou/mm ³	0.20 - 1.00
Eosinophils	0.00	thou/mm ³	0.02 - 0.50



Name : Mr. VIKAS YADAV	Age : 22 Years
Lab No. : 517733647	Gender : Male
Ref By : Self	Reported : 30/5/2026 3:34:12PM
Collected : 30/5/2026 11:30:00AM	Report Status : Final
A/c Status : P	Processed at : LPL-GURGAON
Collected at : FPSC MANESAR SECTOR-1 IMT Manesar S.O GURGAON MANESAR	C1/B, Clear View Building Old DLF Colony, Sector-14 Gurgaon, Haryana-122001



Test Report

Test Name	Results	Units	Bio. Ref. Interval
Basophils	0.02	thou/mm ³	0.02 - 0.10
Platelet Count	199	thou/mm ³	150.00 - 410.00
Mean Platelet Volume	11.8	fL	6.5 - 12.0

Comment

In anaemic conditions Mentzer index is used to differentiate Iron Deficiency Anaemia from Beta- Thalassemia trait. If Mentzer Index value is >13, there is probability of Iron Deficiency Anaemia. A value <13 indicates likelihood of Beta- Thalassemia trait and Hb HPLC is advised to rule out the Thalassemia trait.

Note

- As per the recommendation of International council for Standardization in Hematology, the differential leucocyte counts are additionally being reported as absolute numbers of each cell in per unit volume of blood
- Test conducted on EDTA whole blood
 Predominantly Normocytic normochromic RBCs
 WBC is normal in number.
 Platelets are adequate.



Name : Mr. VIKAS YADAV	Age : 22 Years
Lab No. : 517733647	Gender : Male
Ref By : Self	Reported : 30/5/2026 3:34:12PM
Collected : 30/5/2026 11:30:00AM	Report Status : Final
A/c Status : P	Processed at : LPL-GURGAON
Collected at : FPSC MANESAR SECTOR-1 IMT Manesar S.O GURGAON MANESAR	C1/B, Clear View Building Old DLF Colony, Sector-14 Gurgaon, Haryana-122001



Test Report

Test Name	Results	Units	Bio. Ref. Interval
TYPHIDOT / SALMONELLA TYPHI, IgM, SERUM (ICT)	Negative		

Interpretation


RESULT	REMARKS
Reactive	Indicates presence of IgM antibodies against salmonella typhi.
Non-Reactive	Indicates absence of IgM antibodies against salmonella typhi.

Note:

1. Its positivity in serum indicates ongoing or recent infection by Salmonella typhi and the diagnosis should be confirmed by gold standard test such as Blood culture prior to start of antibiotics.
2. IgM antibodies are typically detectable 5-7 days post symptom onset, peaking in 2nd week and frequently remain elevated for 2-4 months following infection.
3. False positive results may be due to cross reactivity with other Salmonella spp., Dengue virus infection & in patients with high levels of Rheumatoid factor.
4. False negative reaction may be due to processing of sample collected early in the course of disease, antibiotic treatment during 1st week and immunosuppression.
5. Test conducted on serum.

Use

- To diagnose infection due to Salmonella typhi (Enteric fever).



Dr Rachna Malik
 MD, Pathology (DMC-5243)
 Consultant Pathologist
 Dr Lal PathLabs Ltd

-----End of report -----



Name	: Mr. VIKAS YADAV	Age	: 22 Years
Lab No.	: 517733647	Gender	: Male
Ref By	: Self	Reported	: 30/5/2026 3:34:12PM
Collected	: 30/5/2026 11:30:00AM	Report Status	: Final
A/c Status	: P	Processed at	: LPL-GURGAON
Collected at	: FPSC MANESAR SECTOR-1 IMT Manesar S.O GURGAON MANESAR		: C1/B, Clear View Building Old DLF Colony, Sector-14 Gurgaon, Haryana-122001



Test Report

Test Name	Results	Units	Bio. Ref. Interval
			

Authenticity assured - scan the QR code to access the original report from our verified database

IMPORTANT INSTRUCTIONS

•Test results released pertain to the specimen submitted. •All test results are dependent on the quality of the sample received by the Laboratory. •Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician. •Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted. •Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting. •Test results may show interlaboratory variations. •The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s). •Test results are not valid for medico legal purposes. •This is computer generated medical diagnostic report that has been validated by Authorized Medical Practitioner /Doctor. •The report does not need physical signature.

(#) Sample drawn from outside source.

If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action.

Tel: +91-11-49885050, Fax: - +91-11-2788-2134, E-mail: lalpathlabs@lalpathlabs.com

